



佛山市禅城区创新恒安门业有限公司
FOSHAN CXHA GATE CO., LTD

产品以实物为准。版权归创新恒安门业有限公司所有，
并对此注册拥有最终解释权。



+86 757 8327 5505

+86 189 2453 7295

(Whatsapp | Viber | Wechat)

<http://www.cxhdoor.com>
<http://cxha.en.alibaba.com>

NO. 20 中国伸缩门制造十强企业
十大名优品牌





建議最佳高度：2-2.5m



建議最佳高度：2-2.5m

折叠门：折叠门是由单扇或双扇门连在一起，并采用折叠开启方式开门。在现代家庭中，折叠门往往有意想不到的装饰效果。其主要优点是：美观大方，开启方便，装饰多样，使用方便，有效节约门的空间，不影响门前后平整度。

Folding: folding fan is connected by a single or double door together and using folding doors open the way in the modern home, folding doors often have unexpected decorative effect. Its main advantages are: elegant, innovative style, color and diverse, easy to use, effective space-saving door.



CF-4Gr



最佳高度：1.8m
最佳宽度：9m以内

CF-3B





CXHM
Changsheng Gate
昌生门业



老佩斯-庭院款式门
CF-6Gr




别墅专用推荐产品



CF-6R



CF-6Y



CF-6Gr




百叶封板
Louver sealing plate



齿轮传动，平移无噪音
Gear, noise-free translation



特制门铰，确保门体平稳运行
Special doorful to ensure the smooth operation of the door



加厚垫座，稳固支撑
Thick mat, a solid support





内部结构示意图

104.1

104.1

104.1

104.1

104.1

104.1

104.1

104.1

104.1

104.1

104.1

104.1

104.1

104.1

104.1

104.1

104.1

104.1

CXHM
CHANGXINGHUA
创想·恒行·恒业



希顿斯-希移门
CH-711G

门体设计精心打磨，转角处没有锐利的棱角，一切圆滑自然，和雕花线条配合得天衣无缝。运行自然流畅，平穩安静，实际无声，更加速顺滑了，不受声也完成了一件震撼人心的事。

Door design with your heart and not the slightest unsmoothed turning point, everything is natural, while still a perfect match. Between striding, running naturally smooth, smooth and elegant, quiet and silent, like a poem, quietly completed an amazing thing.

温馨提示：见光超五米需要安装交叉拉杆



别墅专用推荐产品

别墅专用推荐产品

CXHM
CHANGXINGHUA
创想·恒行·恒业



希顿斯-希移门
CH-712G



铝材截面经过精心设计，增加弧度，使门体更加美观而且增加了刚性及韧性。
Aluminum cross-section design and design, increased curvature of the aluminum is more beautiful, but also enhances the rigidity and toughness.




接近开关，电子锁芯。
Proximity switches, electronic sensors.





别墅专用推荐产品
 VILLA FOR RECOMMENDATION
 72



CXHM
 Chongqing Hama Gate
 重庆恒安门业


老恒安-星移门
CH-713G

优质的选材、精湛的工艺、独特的造型、科学的结构，这铸就决定了这扇门的比例完美、成功者，需要世人的瞩目与敬仰，让这最豪华之门成为众人关注的焦点，提升您的形象，彰显王者之风。
 Selection of high quality, fine craftsmanship, unique shape, scientific structure, which determines the unusual this door. Successful, you need the world's attention and admiration, so this luxurious door to become the focus of attention, enhance your image, filling the king of the wind.



福满门以一流的品质、独特的设计风格，融入中国文化的精粹元素，以现代设计思想为驱动；并以先进的加工工艺及工艺，向众人展示一种古典与现代的结合，传统与现代的融合，在力与美之间展现和谐气质。为别墅、特大型豪宅大门之首选，并为其增添一份优雅的风采！

Begins at a first class, unique design style, into the special elements of Chinese culture, modern design for the secondary, and advanced processing technology; was displaying a combination of a classical and modern, elegant and powermerge, to show a harmonious temperament between the power and beauty. The first choice of villa, architectural features such as door, and give it to add a touch of beautiful landscape!



福满门于2008年倾力推出！以中国传统建筑为设计参考，并以“天下第一福”为主题寓意，成为当代中国门。该门综合众多中国传统元素于一身，铸就门业新的旗帜，也为行业的一次大的革新！受到同行和客户多方好评！


Begins at the end of 2008 commitment to delving Traditional Chinese screens for the reference design, and "the first blessing" for the main moral of the end of the lucky Chinese knot. The comprehensive Chinese elements in one, erected the new flag of the door industry, but also as a major innovation of the industry! By peers and customers mu'll reputation!

CXHM
Chuangxinhengan Gate

2016靚爆新品隆重上市！
美观、时尚、更实惠




底部设计成横枝，四平八稳，抗风能力强，有效解决大风天气卷帘门被吹倒的问题。
Horizontal bottom four rows of olive branches, well-organized, strong wind resistance, to effectively solve the problem of the door was blown down wind



规格	卷帘 高度 (H)	门体 总宽 (W)	卷帘 宽度 (W1)	安装 间距 (W2)	间距 (W3)	净宽 (W4)	中宽 (W5)
名称	1730	1200	880	1135			2000

可选图案：






新款立柱显示屏




机头16轴驱动





规格 名称	门杆 高度 (mm)	门杆 间距 (mm)	无轨 间距 (mm)	轨中 间距 (mm)	平轨 间距 (mm)	中道中 间距 (mm)
CD-07	1730	1200	880	1135		2000

可选图案：



XVI
二十周年庆典推荐新品
20th Anniversary Recommended New Product
72






CD-08,09,10系列底座采用水平调平机构，运行更加稳定




机头16吨驱动





规格名称	总高度 (H)	门体总宽 (W1)	门身宽度 (W2)	立柱间距 (D1)	立柱间距 (D2)	平拖间距 (D3)	中拖间距 (D4)
CD-08	1850	1200	880	1135			2000

可选图案：






压块装饰顶头，增加美观感



特大双轮轮盖





规格名称	单位	门体高度 H1	门体宽度 H2	门体厚度 H3	总机 DW1	集中 DW2	中机 DW3	中机中 DW4
CD-08		1850	1200	880	1135			2000

可选颜色:






压纹装饰门头，增加美观度



PLU,1400SE4D





规格 名称	展位 长度 (mm)	展位 宽度 (mm)	展位 高度 (mm)	光面 (mm)	高中 (mm)	中档 (mm)	中国中 (mm)
CD-09	1850	1200	820	1135			2000





黄金五角花

自由纹




二十周年庆推荐新品






规格	立柱 高度 H1	门杆 总长度 H2	门杆 宽度 H3	立柱 间距 D1	立柱 间距 D2	立柱 间距 D3	立柱中 间距 D4
名称 CD-09	1850	1200	820	1135			2000





规格	高度	门宽	可开	光强	高中	中低	中高中
名称	30	200	200	200	200	200	2000
CD-10BL	1850	1010	780	965			






二十周年庆推荐新品
20th ANNIVERSARY NEW RECOMMENDED
72


CXHA
Changcheng Gate
长城门业
X6-3R

现代简约风格，大气的造型，平凡之中蕴藏品质，简约之中透露着高贵，实用之门中不可多得的产品。
Refined shape and structure of the atmosphere Lam Chi. Ordinary disclosed in a mature, simple and disclosed in a noble, it is a new product in the door.



规格名称	总长度 (mm)	门体高度 (mm)	门体宽度 (mm)	电机高度 (mm)	电机宽度 (mm)	电机长度 (mm)	电机重量 (kg)
X6-3Gr	1600	950	650	865			1150





大轮盖



特大反光片

因为追求完美，所以精益求精，在细节处感动您；每一个零件都经过细心的设计，每一项工艺都经过严格的把关，新产品的推出让您看到我们最专业的产品与服务。


Because demanding perfection, so excellent, touched the world in every detail; every detail has been carefully designed for each of the processes have been strict, tenacious design makes this seemingly simple structure of fine value for money.

H9-1J

二十周年庆推荐新品

20TH ANNIVERSARY NEW RECOMMENDED

72



二十周年庆推荐新品


20TH ANNIVERSARY NEW RECOMMENDED

72

CXHA | **H9-1S**

针对目前市场开发出的产品，简单而又实用，从最初的设计理念，
View of the current environment for the development of practical products,
simple but yet useful, to meet market demand.

注：轮子可选配，铸铝轮、风火轮及反光电轮



规格 名称	通行 宽度 (M)	门净 高度 (M)	门净 深度 (M)	主机 (MM)	机身 (MM)	手板 (MM)	尾板 (MM)
H9-1S	1600	800	530	720	720	715	385